

Artikelnummer:	111122531
Artikelomschrijving:	babushka bak 1 - 3 vaks Rpet - zwart
Lengte sam. in mm.	86
Breedte sam. in mm.	124
Hoogte in mm.	33
Dikte:	
Stuks per doos	900

Nettogewicht in gram	7,41
Materiaal folie	PET
Afmeting Folie	
Kleur	Zwart PET

Doos afmeting	494 x 294 x270 mm
Dozen per pallet	48
Dozen per slag	8
Lagen per pallet	6
Rijen per doos	2
Stuks per rij	150
Zak	
Pallet	euro pallet 120x80
Aantal per pallet	

Declaration of Compliance

intended to come into contact with foodstuffs

In compliance with the Union Guidelines on regulation (EU) No 10/2011 as regards information in the supply chain

Identity of the product or representative sample

- Article: babushka bak 1 - 3 vaks Rpet - zwart
are products, in particular consisting of the base polymer PET.

EU regulatory status of the article

EC Regulation 1935/2004

This product complies with the safety aspects set out in Article 3(1)(a) of the Framework Regulation (EC) 1935/2004

GMP

This product has been manufactured in accordance with the relevant requirements of Commission Regulation EC No. 2023/2006 on good manufacturing practice for materials and articles intended to come into contact with food.

Traceability

We use systems in place fulfilling the relevant aspects on traceability as required in article 17.1 of Regulation (EC) No. 1935/2004.

Recycling

The product does contain recycled materials that falls under regulation (EC) 282/2008.

Used monomers and additives.

Product has been manufactured only with monomers, other starting substances and additives that are authorized under the Plastics Regulation 10/2011/EC.

Other substances used in the formulation of listed thermoforming sheets.

The other substances used in the manufacturing of the listed thermoforming sheets have been assessed in accordance with internationally recognized scientific principles by the suppliers and are regarded as safe (food grade) under the restrictions and/conditions of use specifies under.

Not intentionally added substances

Reaction intermediates, decomposition or reaction products in plastics comply with the relevant requirements of the Framework Regulation.

Overall Migration

This product complies with the overall migration limit tested under the following conditions:

- Test conditions: 10 days at 40° C
- Simulants: 10% ethanol, Olive oil, 3% Acetic Acid

It should be noted that the representative samples have been tested for the above mentioned conditions only. It is the responsibility of the legal entity responsible for placing on the market of the article to ensure that the usage of the articles is safe, lawful and technically suitable and can be determined through mutual consultation and agreement.

Organoleptic properties

- We have not determined whether a material or final article that is produced with this product will induce an unacceptable change in the composition of the food or will cause deterioration of the organoleptic properties of the food. It is the responsibility of the downstream user to perform these tests.

Regulatory status of used substances

- Used substances subject to restrictions in national legislation
This Product does not contain non-listed substances with restrictions; there may be substances present in the foil
- Substances with limits and restrictions as listed in Regulation NO 10/2011, Annex 1
SML's:

Cas. No	Chemical name	SML (mg/kg)
100-21-0	Terephthalic Acid (TPA)	7,5
121-91-5	Isophthalic Acid (IPA)	5
107-21-1	Mono Ethylenen Glycol (MEG)	30
111-46-6	Di Ethylenen Glycol (DEG)	30
111-309-64-4	Animony trioxide	0,04

Annex II

Cas. No	Chemical name	SML (mg/kg)
557 -05-1	Zinc	5

Presence of dual use additives

- Identity of substance as listed in the European legislation on additives of flavourings (regulation (EC). Dual use additives may be present in the film:
- phosphoric acid

Final use

- The products are allowed to be in contact with aqueous, acidic and alcoholic foods. Foods which contain free fats at the surface and milk products.
- For long term storage above 6 months at room temperature and below including heating up to 70 °C for up to 2 hours, or heating up to 100 °C for up to 15 minutes. Compliant with the provisions within Regulation EU No 10/2011 for repeated-use articles: NO
- A surface/volume ratio expressed in dm² FCM/kg food: 6,0 dm²/kg food.

Freezer	Fridge Chilled	Room Temp	Heated Display	Microwave	Oven
-40°C	V	V	Max. 70°C	X	X

(v) Indicating the material will withstand the process / temperature.

(X) Indicating the material will not withstand the process / temperature.



Product Specificatie & Declaration of Compliance 111122531 babushka bak 3 Rpet - zwart

Datum: 09-02-2023

WARNINGS:

See final use information and migration test information for correct use. They are for single use only and have not been tested for repeat use.

The information about the substances is based on our current state of knowledge and on information from our raw material suppliers.

Functional barrier

This product does contain plastic layers behind a functional barrier. These substances are not CMR and not in nano form, conform the provisions in 10/2011.

The information provided in this document is restricted to products of PET as it leaves the production facilities. The information included in this document is valid from the stated version date until this document is superseded. Because of possible changes in the underlying legislation and regulations, as well as possible changes in our products, we cannot guarantee that the status of this document will remain unchanged. We, therefore recommend our customers to verify the regulatory status periodically. It will be renewed in all cases where the previous conformity is no longer ensured.

Leeuwarden, i.o. Weidelco